



300 HP Verado

POA

Specifications

Boat Details

Price	POA	Boat Brand	Mercury
Model	300 HP	Length	0.00 Feet
Year	2018	Category	Boat Engines and Outboards
Hull Style	Other	Hull Type	Other
Power Type	Other	Engine Make	Mercury
Stock Number		Condition	New
State	NSW	Suburb	HORNSBY

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 02 9482 2638

Email: sales@shannonoutboards.com.au

Website: www.shannonoutboards.com.au

3/41 Leighton Place Hornsby

Description

The 300hp Verado premium outboard redefines the category with advanced engineering, innovative technology and refined operation. Representing the pinnacle of superior outboard design and performance Verado is unrivalled on the water. Built to power the largest boats for the boldest adventures, Verado engines boast advanced engineering and refined operation for boat owners who refuse to compromise. Every Verado feature is designed to deliver the ultimate, most satisfying on-water experience. The smooth, refined power of a V-8 4.6-litre powerhead delivers exhilarating acceleration and top speed to run offshore with confidence. Generous displacement and robust design provide uncompromising durability and reliability. The Mercury-exclusive Advanced MidSection (AMS) and under-cowl noise management features set the standard for smooth, quiet marine propulsion. Verado models now come with a 3+3=6 Year factory Warranty.

ENGINE DETAILS

Lighter than its competition yet built to withstand the rigors of saltwater operation. For go-fast boats and commercial offshore operations that operate in rough seas or need more speed. Great for deck, inflatable rigid hull, inshore fishing, multi-species fishing, offshore fishing, and runabout cuddy boats, and tritoons.

SPECIFICATIONS - 300

HP / kW

300 / 224

Engine type

V-8

Displacement (CID/CC)

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 02 9482 2638

Email: sales@shannonoutboards.com.au

Website: www.shannonoutboards.com.au

3/41 Leighton Place Hornsby

279 CID

Displacement (L)

4.6L

Cylinder Configuration

V8 [64 degree] with Dual Overhead Cam [DOHC] and 32-valves

Full throttle RPM

5200-6000

Air induction

Performance-Tuned Long-Runner Intake Manifold

Fuel induction system

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 02 9482 2638

Email: sales@shannonoutboards.com.au

Website: www.shannonoutboards.com.au

3/41 Leighton Place Hornsby

Electronic Fuel Injection (EFI) Computer Controlled with Advanced Range Optimization

Alternator amp / Watt

115-amp (1449 Watt) with Idle Charge

Recommended fuel

Unleaded Regular 87 Octane Minimum (R+M/2) or 90 RON 10% Ethanol Maximum

Recommended oil

NMMA Certified FCW SAE 10W-30

Engine protection operator warning system

SmartCraft Engine Guardian

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 02 9482 2638

Email: sales@shannonoutboards.com.au

Website: www.shannonoutboards.com.au

3/41 Leighton Place Hornsby

Starting

Electric Start with SmartStart Protection

Controls

Standard: Digital Throttle & Shift (DTS)

Steering

Integrated Electro-Hydraulic Power-Steering

Shaft length

20" / 508 mm

25" / 635 mm

30" / 762 mm

Gearcase ratio

1.75:1 / 1.85:1

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 02 9482 2638

Email: sales@shannonoutboards.com.au

Website: www.shannonoutboards.com.au

3/41 Leighton Place Hornsby

Dry weight *Lightest model available

600 lbs / 272 kgs

CARB star rating

3

Bore and stroke

3.6 in x 3.4 in / 92 mm x 86 mm

Ignition

SmartCraft PCM 112 Digital Inductive

Cooling system

Water-cooled with thermostat

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 02 9482 2638

Email: sales@shannonoutboards.com.au

Website: www.shannonoutboards.com.au

3/41 Leighton Place Hornsby

Gear shift

F-N-R

Gearcase options

5.44"

Trim system

Power trim and tilt

Exhaust system

Through prop

Color

Cold Fusion White

Pearl Fusion White

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 02 9482 2638

Email: sales@shannonoutboards.com.au

Website: www.shannonoutboards.com.au

3/41 Leighton Place Hornsby

Phantom Black

Warm Fusion White

Lubrication system

Integrated wet sump

Oil Capacity

7.0 Quarts / 6.6 Liters

Maximum Trim Range

20°; (-6°; to 14°;)

Maximum Tilt Range

73°; (-6°; to 67°;)

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 02 9482 2638

Email: sales@shannonoutboards.com.au

Website: www.shannonoutboards.com.au

3/41 Leighton Place Hornsby

Engine Details

Engine Make	Mercury
Displacement	4.6
Horse Power	300

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.