



300 HP Fourstroke

POA

Specifications

Boat Details

Price	POA	Boat Brand	Mercury
Model	300 HP	Length	0.00 Feet
Year	2018	Category	Boat Engines and Outboards
Hull Style	Other	Hull Type	Other
Power Type	Other	Engine Make	Mercury
Stock Number		Condition	New
State	NSW	Suburb	HORNSBY

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 02 9482 2638

Email: sales@shannonoutboards.com.au

Website: www.shannonoutboards.com.au

3/41 Leighton Place Hornsby

Description

The new Mercury 300hp FourStroke is precision engineered from skeg to cowl. Packed with advanced technology to improve all aspects of performance and reliability. The Robust 4.6 Litre V-8 engine is designed to minimise weight and maximise fuel economy. Delivering Mercury's best ever FourStroke hole shot, top speed and fuel efficiency. The 300hp FourStroke now comes with a 3+3=6 Year factory warranty.

ENGINE DETAILS

These robust motors deliver Mercury's best-ever FourStroke hole shot, top speed and fuel efficiency. Great for aluminum fishing, deck, inflatable rigid hull, inshore fishing, offshore fishing and runabouts and tritoons.

SPECIFICATIONS - 300

HP / kW

300 / 224

Engine type

V-8

MidSection

Conventional MidSection

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 02 9482 2638

Email: sales@shannonoutboards.com.au

Website: www.shannonoutboards.com.au

3/41 Leighton Place Hornsby

Displacement (CID/CC)

279 CID

Displacement (L)

4.6L

Cylinder Configuration

V-8 [64 degree] with Dual Overhead Cam [DOHC] and 32-valves

Full throttle RPM

5200-6000

Air induction

Performance-Tuned Long-Runner Intake Manifold

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 02 9482 2638

Email: sales@shannonoutboards.com.au

Website: www.shannonoutboards.com.au

3/41 Leighton Place Hornsby

Fuel induction system

Electronic Fuel Injection (EFI) Computer Controlled with Advanced Range Optimization

Alternator amp / Watt

85-amp (1071 Watt) with Idle Charge

Recommended fuel

Unleaded Regular 87 Octane Minimum (R+M/2) or 90 RON 10% Ethanol Maximum

Recommended oil

NMMA Certified FCW SAE 10W-30

Engine protection operator warning system

SmartCraft Engine Guardian

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 02 9482 2638

Email: sales@shannonoutboards.com.au

Website: www.shannonoutboards.com.au

3/41 Leighton Place Hornsby

Compatible with SmartCraft digital technology

Yes

Starting

Electric Start with SmartStart Protection

Controls

Remote Mechanical or Digital Throttle & Shift (DTS)

Steering

Hydraulic (standard)

Power (optional)

Shaft length

20" / 508 mm

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 02 9482 2638

Email: sales@shannonoutboards.com.au

Website: www.shannonoutboards.com.au

3/41 Leighton Place Hornsby

25" / 635 mm

Gearcase ratio

1.75:1

Dry weight *Lightest model available

527 lbs / 239 kgs

CARB star rating

3

Bore and stroke

3.6 in x 3.4 in / 92 mm x 86 mm

Ignition

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 02 9482 2638

Email: sales@shannonoutboards.com.au

Website: www.shannonoutboards.com.au

3/41 Leighton Place Hornsby

SmartCraft PCM 112 Digital Inductive

Cooling system

Water-cooled with thermostat

Gear shift

F-N-R

Gearcase options

5.44"

Trim system

Power trim and tilt

Exhaust system

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 02 9482 2638

Email: sales@shannonoutboards.com.au

Website: www.shannonoutboards.com.au

3/41 Leighton Place Hornsby

Through prop

Counter Rotation

Available

Color

Cold Fusion White

Pearl Fusion White

Phantom Black

Warm Fusion White

Lubrication system

Integrated wet sump

Oil Capacity

7.0 Quarts / 6.6 Liters

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 02 9482 2638

Email: sales@shannonoutboards.com.au

Website: www.shannonoutboards.com.au

3/41 Leighton Place Hornsby

Maximum Trim Range

20°; (-6°; to 14°;)

Maximum Tilt Range

73°; (-6°; to 67°;)

Engine Details

Engine Make	Mercury
Displacement	4.6
Horse Power	300
Fuel Type	Unleaded Regular 87 Octane Minimum (R+M/2) or 90 RON 10% Ethanol Maximum
Steering	Hydraulic (standard) Power (optional)

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.